



Proposal Drawing

RoHS

HF

CUST INFORMATION.

PART NO.
NADRAWING NO.
NAREV.
NA

1. MATERIAL SPECIFICATION:

1.1 INSULATOR: NYLON 6T, UL 94V-0 OR LCP E130I

1.2 CONTACT: SQ. 0.5mm COPPER ALLOY

1.3 CAP: LCP, BLACK

2. FINISH: TIN PLATED

3. BILL OF PART NO:

2001WV-XP-XX-XX-XX-XX-XXX-HF

POS:2~16

FINISH

A=MATTE TIN PLATED

B=BRIGHT TIN PLATED

INSULATOR COLOR:

BLANK=NATURAL

△B OR A~G

MATERIAL:6T=NYLON 6T
OR LC=LCP △B

HALOGEN FREE

PACKAGE:

BLANK=PE BAG PACKAGE (W/O CAP)

RPNC=REEL & TAPE PACKAGE (W/O CAP)

RPC=REEL & TAPE PACKAGE (W/CAP)

KINK:BLANK=W/ KINK OR NK=W/O KINK

PIN LENGTH:

Blank=3.40

2.8=2.8 △B

2.4=2.4

4.FOR COLOR, AVAILABILITY, DELIVERY & MOQ, CONTACT CKM



5. DIMENSIONAL

POS	A	B	C	D
2	2.00	6.00	4.90	4.5
3	4.00	8.00	6.90	
4	6.00	10.00	8.90	
5	8.00	12.00	10.90	
6	10.00	14.00	12.90	
7	12.00	16.00	14.90	
8	14.00	18.00	16.90	
9	16.00	20.00	18.90	
10	18.00	22.00	20.90	
11	20.00	24.00	22.90	
12	22.00	26.00	24.90	
13	24.00	28.00	26.90	
14	26.00	30.00	28.90	
15	28.00	32.00	30.90	
16	30.00	34.00	32.90	


E
3.4
2.8
2.4

COLOR CODE	
BLANK	NATURAL
A	BLACK
C	RED
E	YELLOW
F	GREEN
G	BLUE

△B




STANDARD TYPE



W/O KINK TYPE

TOLERANCE

X. ±0.50 X.XXX ±0.15
X.X ±0.35
X.XX ±0.25 Angular ±5°UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

2001WV-XP-XX-XX-XX-XX-XXX-HF

DRAWING NO.

C-2001WV-XP-XX-XX-XX-XX-XXX-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE 1 OF 4

REV.

SCALE 4 : 1

B-1

朝貴電子股份有限公司
CKM ELECTRONICS CO., LTD.

TITLE.

2.0mm PITCH VERTICAL SMT TYPE CONNECTOR

B-1	EC-	UPDATE RELEASE	GZK	2024.12.27
B	EC-24071855	UPDATE RELEASE	Ping.Wang	2024.07.18
A		NEW RELEASE	Sam Lin	2022.08.08
REV.	ECN NO	REVISION RECORD	DRAW	DATE

1

2

3

4

5

6 QMI-P12-05-01

Proposal Drawing

RoHS


HF

CUST INFORMATION.

PART NO.
NA

DRAWING NO.
NA

REV.
NA



POS	BAG PCS/BAG	INNER BOX PCS/BOX	CARTON PCS/CARTON
2	1000	20.0K	40.0K
3	750	13.5K	27.0K
4	650	10.4K	20.8K
5	550	8.8K	17.6K
6	450	7.2K	28.8K
7	400	6.4K	25.6K
8	350	5.6K	22.4K
9	350	5.6K	22.4K
10	300	4.8K	19.2K
11	250	4.5K	18.0K
12	250	4.0K	16.0K
13	250	3.75K	15.0K
14	200	3.2K	12.8K
15	200	3.0K	12.0K
16	200	3.0K	12.0K

B-1	EC-	UPDATE RELEASE	GZK	2024.12.27
B	EC-24071855	UPDATE RELEASE	Ping.Wang	2024.07.18
A		NEW RELEASE	Sam Lin	2022.08.08
REV.	ECN NO	REVISION RECORD	DRAW	DATE

TOLERANCE		PART NO.	朝貴電子股份有限公司 CKM ELECTRONICS CO., LTD.		
X. ±0.50	X.XXX ±0.15	2001WV-XP-XX-XX-XX-XXX-HF	TITLE. 2.0mm PITCH VERTICAL SMT TYPE CONNECTOR		
X.X ±0.35		DRAWING NO. C-2001WV-XP-XX-XX-XX-XX-XXX-HF			
X.XX ±0.25	Angular ±5°	APPROVED BY	CHECKED BY	DRAWN BY	PAGE 2 OF 4
UNIT: mm				SCALE 4 : 1	REV. B-1
DWG TYPE. Customer Drawing					

1

2

3

4

5




6 QMI-P12-05-01

Proposal Drawing



RoHS

HF

CUST INFORMATION.


PART NO.
NADRAWING NO.
NAREV.
NAPIN LENGTH:
2.8&2.4

POS.	B0	S	F	W	PCS/REEL	PCS/CARTON
2	6.3		11.5	24.0	450	4050
3	8.3					
4	10.3					
5	12.3					
6	14.3					
7	16.3	28.4	14.2	32.0		3150
8	18.3					
9	20.3					
10	22.3	40.4	20.2	44.0		2250
11	24.3					
12	26.3					
13	28.3					
14	30.3	52.4	26.2	56.0	1800	
15	32.3					
16	34.3					




W/CAP

W/O CAP



TOLERANCE

X.	±0.50	X.XXX	±0.15
X.X	±0.35		
X.XX	±0.25	Angular	±5°

UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

2001WV-XP-XX-XX-XX-XXX-HF

DRAWING NO.

C-2001WV-XP-XX-XX-XX-XXX-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
3 OF 4SCALE
4 : 1

REV.

B-1

朝貴電子股份有限公司
CKM ELECTRONICS CO., LTD.

TITLE.

2.0mm PITCH VERTICAL SMT TYPE CONNECTOR





B-1	EC-	UPDATE RELEASE	GZK	2024.12.27
B	EC-24071855	UPDATE RELEASE	Ping.Wang	2024.07.18
A		NEW RELEASE	Sam Lin	2022.08.08
REV.	ECN NO	REVISION RECORD	DRAW	DATE

Proposal Drawing

RoHS

HF

CUST INFORMATION.

PART NO.
NADRAWING NO.
NAREV.
NA△ PIN LENGTH:
3.40


POS.	B0	S	F	W	PCS/REEL	PCS/CARTON
2	6.3		11.5	24.0	400	3600
3	8.3					
4	10.3					
5	12.3					
6	14.3					
7	16.3	28.4	14.2	32.0		2800
8	18.3					
9	20.3					
10	22.3	40.4	20.2	44.0		2000
11	24.3					
12	26.3					
13	28.3					
14	30.3	52.4	26.2	56.0	1600	
15	32.3					
16	34.3					

W/CAP

W/O CAP

TOLERANCE

X.	±0.50	X.XXX	±0.15
X.X	±0.35		
X.XX	±0.25	Angular	±5°

UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

2001WV-XP-XX-XX-XX-XXX-HF

DRAWING NO.

C-2001WV-XP-XX-XX-XX-XXX-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
4 OF 4

REV.

SCALE
4 : 1

B-1

朝貴電子股份有限公司
CKM ELECTRONICS CO., LTD.

TITLE.

2.0mm PITCH VERTICAL SMT TYPE CONNECTOR

B-1	EC-	UPDATE RELEASE	GZK	2024.12.27
B	EC-24071855	UPDATE RELEASE	Ping.Wang	2024.07.18
A		NEW RELEASE	Sam Lin	2022.08.08
REV.	ECN NO	REVISION RECORD	DRAW	DATE